

T3.SLIPPY

Anti-slip for polished granite surfaces



MATERIALS

- Granite

APPLICATION FIELDS

- Floorings
- Stairs
- Slabs
- Poolside
- Shower tray



CHARACTERISTICS

- Acid based
- It creates a controlled microporosity on granites
- Reduce accidents in dry or wet conditions
- Recommended for shopping centers, hospital centers, office, public and private swimming pools
- The application of the product allows to adapt to the Digs 81/2008 (art. 8.2.2) e DM 236/1989 (art. 63; annex IV 1.3.2.)
- Certification according to the B.C.R.A. method our slippery FSC 2011 measures and certifies the coefficient of dynamic friction of the surface before and after treatment

INSTRUCTION

SHAKE BEFORE USING

Ready to use product.

On clean and dry surfaces pour T3.SLIPPY uniformly with a plastic watering can. Let it react for 2-5 minutes. Rinse with abundant water. Repeat it to obtain more anti-slip effect.

PACKAGING

- Box of 16 Pcs of 1 Lt/Kg
- Box of 8 Pcs of 2 Lts/Kgs
- Box of 4 Pcs of 5 Lts/Kgs
- Tank of 25 Lts/Kgs

COVERAGE

Approximate coverage: 1 lt x 1 - 3 m²

Depending on the porosity of the surface to be treated

WARNINGS

Apply at an ambient temperature between 10°C - 20°C. Keep out of reach of children. Do not disperse into the environment. Before use, consult the safety data sheet and label, in which risks and safety are highlighted for the correct use of personal protective equipment. All information contained in this page is based on information we believe to be reliable; however, not knowing the conditions of the materials treated and the way you use the product, ITALIAN XS declines all responsibility about The suitability of the material for each particular application. Store the product in the original containers and hermetically closed. Store the product at a temperature between 5° C - 20° C. If stored as indicated above, the product has a shelf life of 12 months. It is advisable to carry out preventive tests on small areas as our responsibility is limited at the cost of the product. No liability for damage caused by negligence or misuse of the product.